

EYES PROTECTION v.2



**CORONA VIRUS
COVID-19
TRANSMITTED ALSO
THROUGH THE EYES**

e.janach[®]
www.janach.it

Several studies have proven that contagion can occur even through our eyes and tears



JANACH

for the COVID-19 emergency has prepared a series of PPE glasses (Personal Protective Equipment) for individual protection. Consult our catalogue and ask for information.

L'importanza della prevenzione

in your eyes, those of your staff and employees, they all need protection from contagion.

STAY SAFE, PROTECT YOUR EYES!

For Info & Orders: International@janach.it

 janach@janach.it  +39 031.574088

• JS5533A



TOP VIEW



BOTTOM VIEW



FRONT VIEW


MODEL: JS5533A

- High wrap-around lens adapts perfectly to the face for better coverage
- Modern design offers excellent coverage and field of view
- Polycarbonate lenses for increased impact resistance
- Anti-scratch lenses • Stile unisex
- Comfortable, lightweight, impact-resistant frame weighing less than 26g
- Unisex style
- Protect the eyes with 99.0% UV resistance
- Tested and approved in accordance with EN 166:2001 standards

JS5533A safety goggles are wrap-around safety glasses, with scratch-resistant, transparent polycarbonate lenses for effective impact resistance. They feature a modern and lightweight design of only 26 g. Wrap-around design contributes to optimal coverage and field of view, with a comfortable, lightweight frame.

SUGGESTED APPLICATIONS

Assembly, Aviation, Cleaning, Construction, Demolition, Demolition, Perforation, Maintenance plants, Grinding, Public safety, Machine maintenance, Machinery maintenance, Machining, Metal fabrication, Mining industry, Painting, Transport.



MINIMUM ORDER:	24 Pieces
LENS COLOR:	Transparent
FRAME COLOR:	Transparent
SIZE:	One size fits all
FRAME MATERIAL:	Polycarbonate
UNISEX FRAME STYLE:	Frameless
STANDARD/APPROVALS:	EN 166:2001
TYPE OF PRODUCT:	Eye protection
UV PROTECTION	99.9%

• **JS5533B**



TOP VIEW



BOTTOM VIEW



FRONT VIEW


MODEL: JS5533B

- High wrap-around lens adapts perfectly to the face for better coverage
- Modern design offers excellent coverage and field of view
- Polycarbonate lenses for increased impact resistance
- Anti-scratch lenses
- Rubber terminal
- Comfortable, lightweight, impact-resistant frame of less than 26g
- Unisex style
- Protect the eyes with 99.0% UV resistance
- Tested and approved in accordance with EN 166:2001 standards

JS5533B safety goggles are wrap-around safety glasses, with scratch-resistant, transparent polycarbonate lenses for effective impact resistance. They feature a modern and lightweight design weighing only 26 g. Wrap-around design that contributes to optimal coverage and field of view, with a comfortable, lightweight frame.

SUGGESTED APPLICATIONS

Assembly, Aviation, Cleaning, Construction, Demolition, Demolition, Perforation, Maintenance plants, Grinding, Public safety, Machine maintenance, Machinery maintenance, Machining, Metal fabrication, Mining industry, Painting, Transport.



MINIMUM ORDER:	24 Pieces
LENS COLOR:	Transparent
FRAME COLOR:	Transparent
DIMENSION:	One size fits all
FRAME MATERIAL:	Polycarbonate
UNISEX FRAME STYLE:	Frameless
STANDARD/APPROVALS:	EN 166:2001
TYPE OF PRODUCT:	Eye protection
UV PROTECTION	99.9%

• JS5542



TOP VIEW



BOTTOM VIEW



FRONT VIEW


MODEL: JS5542

- Safety glasses with side shield included for complete protection
- Adjustable temples for perfect fit
- Polycarbonate lenses for good impact resistance
- Applied technology reduces pressure on the ear for a secure and comfortable fit
- Polycarbonate lenses absorb 99.9% of UVA and UVB rays
- Anti-scratch coating ensures longer life and better visibility

Our JS5542 glasses are lightweight and designed to fit all faces and provide personalized protection. The adjustable temples allow you to adjust the length of the temples in a customized way. They meet the requirements of EN166-2001 on impact resistance.

SUGGESTED APPLICATIONS

Assembly, Aviation, Cleaning, Construction, Demolition, Demolition, Perforation, Maintenance plants, Grinding, Public safety, Machine maintenance, Machinery maintenance, Machining, Metal fabrication, Mining industry, Painting, Transport.



MINIMUM ORDER:	12 Pieces
LENS COLOR:	Transparent
FRAME COLOR:	Black
DIMENSION:	One size fits all
FRAME MATERIAL:	Polycarbonate
UNISEX FRAME STYLE:	Frameless
STANDARD/APPROVALS:	EN 166:2001
TYPE OF PRODUCT:	Eye protection
UV PROTECTION	99.9%

• **JS5547**



Suitable for eyeglass wearers



TOP VIEW



BOTTOM VIEW



FRONT VIEW


MODEL: JS5547

- Wrap-around angle bars ensure a secure fit
- The technology applied reduces the pressure on the ear for a safe and comfortable fit even when using protective masks
- Polycarbonate lenses absorb 99.9% of UVA and UVB rays
- The anti-scratch coating ensures longer life and better visibility
- They can also be used as over glasses, designed for eye glasses users

Our lightweight over glasses are designed to fit eye glasses users. In order to provide customized protection. Adjustable angle of the temples allow you to adjust the angle on the temple area for a secure fit. They meet the requirements of **EN166-2001** on impact resistance.

SUGGESTED APPLICATIONS

Assembly, Aviation, Cleaning, Construction, Demolition, Demolition, Perforation, Maintenance plants, Grinding, Public safety, Machine maintenance, Machinery maintenance, Machining, Metal fabrication, Mining industry, Painting, Transport.



MINIMUM ORDER:	12 Pieces
LENS COLOR:	Transparent
FRAME COLOR:	Black
DIMENSION:	One size fits all
FRAME MATERIAL:	Polycarbonate
UNISEX FRAME STYLE:	Frameless
STANDARD/APPROVALS:	EN 166:2001
TYPE OF PRODUCT:	Eye protection
UV PROTECTION	99.9%

• JS5820

OPTIONAL:

CLIP JS5820



MODEL: JS5820

- High wrap-around lens adapts perfectly to the face for better coverage
- Modern design offers excellent coverage and field of view
- Polycarbonate lenses for increased impact resistance
- Anti-scratch lenses
- Comfortable, lightweight, impact-resistant frame weighing less than 26g
- Unisex style
- Protect the eyes with 99.0% UV resistance
- Tested and approved in accordance with EN 166:2001 standards
- Anatomic nose pad in hypoallergenic Thermolast improves comfort
- Thermoplastic rubber rod end caps and nose piece, ensuring a greater comfort and grip during use
- Optional Optical Clip-On


CLIP-ON

The JS5820 safety glasses are wrap-around safety glasses, with scratch-resistant, transparent polycarbonate lenses for effective impact resistance. They feature a modern and lightweight design weighing only 26 g.

Wrap-around design that contributes to optimal coverage and field of view, with a comfortable, lightweight frame.

SUGGESTED APPLICATIONS

Assembly, Aviation, Cleaning, Construction, Demolition, Demolition, Perforation, Maintenance plants, Grinding, Public safety, Machine maintenance, Machinery maintenance, Machining, Metal fabrication, Mining industry, Painting, Transport.



MINIMUM ORDER:	10 Pieces
LENS COLOR:	Transparent
FRAME COLOR:	Transparent
DIMENSION:	One size fits all
FRAME MATERIAL:	TR90
UNISEX FRAME STYLE:	Frameless
STANDARD/APPROVALS:	EN 166:2001
TYPE OF PRODUCT:	Eye protection
UV PROTECTION	99.9%

• **JS5101**



Suitable for eyeglass wearers




1 density foam



3 density foam

FEATURES	Mod. JS5101-A	Mod. JS5101-B	Mod. JS5101-D
VISOR MADE IN PC:	YES	YES	YES
1 DENSITY FOAM:	NO	YES	NO
3 DENSITY + ANALLERGIC FLOATED FOAM:	YES	NO	YES
ANTI-FOG:	YES	NO	YES
ANTI-SCRATCH:	NO	NO	YES
MINIMUM CUSTOMIZABLE GRAPHICS:	500 Pieces	500 Pieces	500 Pieces
NORMATIVE	UNI EN 166:2004 Personal eye protection. Specifications (EN 166:2001 Personal eye-protection - Specifications)		



Certification EN 166:2001

• JS5102



OPTIONAL: Label for user name



 Made in Italy



Mod. JS5102T
Transparent



Mod. JS5102A
Light blue relaxing colour



Mod. JS5102R
Pink contrast increase

FEATURES	Mod. JS5102T	Mod. JS5102A	Mod. JS5102R
MEDICAL PVC FRAME:	YES	YES	YES
PC POLYCARBONATE LENS:	YES	YES	YES
(PC) ANTI-FOG :	YES	YES	YES
ANTI-SCRATCH:	YES	YES	YES
ACETATE LENS (alternative):	YES	YES	YES
ACETATE) ANTI-FOG:	YES	YES	YES
LENS COLOR:	TRANSPARENT	BLUE	PINK
COLOR CHARACTERISTICS:	CLASSIC	RELAXING	+ CONTRAST
HYPOALLERGENIC POLYESTER ELASTIC AND RUBBER:	YES	YES	YES
USER NAME LABEL:	OPTIONAL	OPTIONAL	OPTIONAL

• JS5105



CHARACTERISTICS:

- Transparent Plexiglass Protection Barrier
- Interlocking supports
- Opening window 30x15 cm
- Single packaging

DIMENSIONS:

- **JS5105A** | 50x73 cm | Thickness 4 mm
- **JS5105B** | 65x73 cm | Thickness 4 mm
- **JS5105C** | 100x73 cm | Thickness 5 mm

e.janach[®]

www.janach.it

Via Borgo Vico 35, 22100 Como (CO)
TEL. 031.574088 | MAIL. janach@janach.it